

---

# BuzziBlinds

## Product Specification Sheet

---

This document contains technical information about the BuzziBlinds

---



[www.buzzi.space](http://www.buzzi.space)



## Acoustical performance and privacy with a twist

After the introduction in 2011 BuzziBlinds Classic became an instant hit as partitions for open-plan spaces. Five year later it's time to add some zest to the family. BuzziBlinds are inspired on modernist architecture. The rhythm and tonalities created by the orientation of the V-cut BuzziBlinds add a dynamic of depth to any space.

The free-standing room divider is made up of a series of five rotating acoustic blinds. With a simple twist, the blinds can be opened or closed to varying degrees to create privacy or open-up a space. This gives individuals the opportunity to determine the level of privacy they may want or need at any given moment to concentrate on a specific task.

BuzziBlinds consists of 4 different shapes. The Blinds are covered with plane BuzziFelt. Adding a V-cut feature to the BuzziFelt enhances a stronger architectural look in your space.

Design by Alain Gilles

## General



Straight | Wedge | Beach | Arch  
M | L



Baseplate: powder coated metal  
Blinds: core aluminium  
BuzziFelt cover



M: H 155 cm    W 149 cm    D 49 cm  
    H 61.02"    W 58.66"    D 19.29"  
L: H 190 cm    W 149 cm    D 49 cm  
    H 74.80"    W 58.66"    D 19.29"



M: 45 kg  
    99.21 lbs  
L: 49 kg  
    108.03 Lbs



Dry use



Flat packed

Baseplate colour in black (RAL 9005) or white (RAL 9010)

Blinds felt with or without V-cut

Optional extra layer Fabric, Rough, Trevira CS+ | CS, Revive 1, Revive 2, Terra, Clara 2, Remix 2, Hero,



Tonus 4, Memory 2 or Matrix

(extra layer not possible for V-cut)

Multicolour (front & back different colour)

Wheels (4pcs)

---

## Acoustics



Attenuation



Diffusion



Absorption



Mid tones



High tones



---

## Content

Configurations	3	Dimensions	11
Overview	5	Acoustics	13
Fabrics	7		

# Configurations

## BuzziBlinds Straight



M | L



Baseplate: powder coated metal  
Blinds: core aluminium  
BuzziFelt cover





M: H 155 cm, W 149 cm, D 49 cm  
H 61.02", W 58.66", D 19.29"  
L: H 190 cm, W 149 cm, D 49 cm  
H 74.80", W 58.66", D 19.29"



Baseplate colour in black (RAL 9005) or white (RAL 9010)  
Blinds felt with or without V-cut  
Optional extra layer Fabric, Rough, Trevira CS+ |CS, Revive 1, Revive 2, Terra, Clara 2, Remix 2, Hero, Tonus 4, Memory 2 or Matrix  
(extra layer not possible for V-cut)  
Multicolour (front & back different colour)  
Wheels (4pcs)

## BuzziBlinds Wedge



M | L



Baseplate: powder coated metal  
Blinds: core aluminium  
BuzziFelt cover





M: H 155 cm, W 149 cm, D 49 cm  
H 61.02", W 58.66", D 19.29"  
L: H 190 cm, W 149 cm, D 49 cm  
H 74.80", W 58.66", D 19.29"



Baseplate colour in black (RAL 9005) or white (RAL 9010)  
Blinds felt with or without V-cut  
Optional extra layer Fabric, Rough, Trevira CS+ |CS, Revive 1, Revive 2, Terra, Clara 2, Remix 2, Hero, Tonus 4, Memory 2 or Matrix  
(extra layer not possible for V-cut)  
Multicolour (front & back different colour)  
Wheels (4pcs)

## BuzziBlinds Beach



Beach  
Front - Back



Beach V-cut  
lines 1 Front



Beach V-cut  
lines 1 Back

🏷️ M | L

Baseplate: powder coated metal



Blinds: core aluminium  
BuzziFelt cover

M: H 155 cm, W 149 cm, D 49 cm

H 61.02", W 58.66", D 19.29"



L: H 190 cm, W 149 cm, D 49 cm

H 74.80", W 58.66", D 19.29"

Baseplate colour in black (RAL 9005) or  
white (RAL 9010)

Blinds felt with or without V-cut

Optional extra layer Fabric, Rough,

Trevira CS+ | CS, Revive 1, Revive 2, Terra,




Clara 2, Remix 2, Hero, Tonus 4, Memory 2 or  
Matrix

(extra layer not possible for V-cut)


Multicolour (front & back different colour)

Wheels (4pcs)

## BuzziBlinds Arch



Arch  
Front - Back



Arch V-cut lines 1  
Front - Back

🏷️ M | L

Baseplate: powder coated metal



Blinds: core aluminium  
BuzziFelt cover

M: H 155 cm, W 149 cm, D 49 cm

H 61.02", W 58.66", D 19.29"



L: H 190 cm, W 149 cm, D 49 cm

H 74.80", W 58.66", D 19.29"

Baseplate colour in black (RAL 9005) or  
white (RAL 9010)

Blinds felt with or without V-cut

Optional extra layer Fabric, Rough,

Trevira CS+ | CS, Revive 1, Revive 2, Terra,



Tonus Meadow, Memory 2 or Matrix

(extra layer not possible for V-cut)

Multicolour (front & back different colour)


Wheels (4pcs)

# Overview

## BuzziBlinds Straight M|L




Straight  
Front




Straight  
Back

M: H 150 cm W 32 cm    L: H 185 cm W 32 cm  
H 59.06" W 12.60"    H 72.83" W 12.60"

## BuzziBlinds Straight V-cut M|L




Straight V-cut lines 1  
Front



Straight V-cut lines 1  
Back

M: H 150 cm W 32 cm    L: H 185 cm W 32 cm  
H 59.06" W 12.60"    H 72.83" W 12.60"

## BuzziBlinds Wedge M|L



Wedge  
Front




Wedge  
Back

M: H 150 cm W 32 cm    L: H 185 cm W 32 cm  
H 59.06" W 12.60"    H 72.83" W 12.60"

## BuzziBlinds Wedge V-cut M|L



Wedge V-cut lines 1  
Front




Wedge V-cut lines 1  
Back

M: H 150 cm W 32 cm    L: H 185 cm W 32 cm  
H 59.06" W 12.60"    H 72.83" W 12.60"

---

### BuzziBlinds Beach M|L



Beach  
Front


Beach  
Back

---

M: H 150 cm W 32 cm    L: H 185 cm W 32 cm  
H 59.06" W 12.60"    H 72.83" W 12.60"

---

### BuzziBlinds Beach V-cut M|L



Beach V-cut lines 1  
Front


Beach V-cut lines 1  
Back

---

M: H 150 cm W 32 cm    L: H 185 cm W 32 cm  
H 59.06" W 12.60"    H 72.83" W 12.59"

---

### BuzziBlinds Arch M|L



Arch  
Front


Arch  
Back

---

M: H 150 cm W 32 cm    L: H 185 cm W 32 cm  
H 59.06" W 12.60"    H 72.83" W 12.60"

---

### BuzziBlinds Arch V-cut M|L



Arch V-cut lines 1  
Front

Arch V-cut lines 1  
Back


---

M: H 150 cm W 32 cm    L: H 185 cm W 32 cm  
H 59.06" W 12.60"    H 72.83" W 12.60"

# Fabrics

---


## Felt



**Composition** 100% Recycled P.E.T. Felt, latex backing  
**Weight** 1.000 g/m<sup>2</sup> | 29.49 oz/yd<sup>2</sup>  
**Abrasion resistance** >7.000 Martindale  
**Flammability** EU: EN 13501.1 + A1/2009 Class B-s1,d0  
USA: ASTM E84 Class A certified  
**Fastness to light** USA 5




## Fabric



**Category A**  
**Composition** 70% Recycled Wool, 25% Recycled Polyacryl,  
5% Recycled Other Fabrics  
**Weight** 405 g/m<sup>2</sup> | 11.94 oz/yd<sup>2</sup>  
**Abrasion resistance** 40.000 Martindale, 50,000 Wyzenbeek  
**Flammability** EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette).  
EN 1021.2/2006 | BS EN 1021.2/2006 (match)  
USA: CAL TB 117 | ASTM E84 CLASS A  
**Fastness to light** EU: 4 | USA 4  
**Fastness to rubbing** EU: Wet 3-4 | Dry 4-5  
**Fastness to crocking** USA: Wet 5 | Dry 5




## Rough



**Category A**  
**Composition** 100% Polyacryl  
**Weight** 456 g/m<sup>2</sup> | 13.45 oz/yd<sup>2</sup>  
**Abrasion resistance** 40.000 Martindale  
**Flammability** EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette)  
USA: CAL TB TB 117  
**Fastness to light** EU: 5  
**Fastness to rubbing** EU: Wet: 3 | Dry: 3



## Trevira CS+ | CS




**Category A**  
**Weight** 420 g/m<sup>2</sup> | 12.39 oz/yd<sup>2</sup>  
**Composition** 100% Polyester, Trevira CS  
**Abrasion resistance** 100.000 Martindale, 90,000 Wyzenbeek  
**Flammability** BS 5852 part II: CRIB 5 | BS 7176 Medium Hazard  
USA: CAL TB 117 | M1 | B1 | EN 1021/1-2 | C1 |  
IMO Res. A652 (16)  
**Fastness to light** EU: 6 | USA 5  
**Fastness to rubbing** EU: Wet 4-5 | Dry 4-5  
**Fastness to crocking** USA: Wet 5 | Dry 5



## Revive 1

kvadrat



**Category A**

**Composition** 100% recycled polyester FR

**Weight** 430 g/lin.m

**Abrasion resistance** 60.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1  
UNI 9175 1IM | US Cal. Tech. Bull. 117  
IMO A.652 (16)

**Fastness to light** Note 5-7, ISO 105-B02


**Fastness to rubbing** (ISO) dry 5, wet 4-5

**Pilling** Note 4-5, EN ISO 12945



## Revive 2

kvadrat



**Category A**

**Composition** 100% recycled polyester FR

**Weight** 420 g/lin.m

**Abrasion resistance** 45.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1  
UNI 9175 1IM | US Cal. Tech. Bull. 117  
IMO A.652 (16)

**Fastness to light** Note 5-7, ISO 105-B02

**Fastness to rubbing** (ISO) dry 5, wet 4-5

**Pilling** Note 4-5, EN ISO 12945



## Terra



**Category B**

**Composition** 100% Pure New Wool

**Weight** 370 g/m<sup>2</sup> | 10.91 oz/yd<sup>2</sup>

**Abrasion resistance** 40.000 Martindale, 25,000 Wyzenbeek

**Flammability** EU: BS5852 CRIB 5 | BS5867 PART 2 : 2008 : TYPE B  
EN: 1021.2/2006 | USA: CAL TB 117

**Fastness to light** EU 5 | USA 5


**Fastness to rubbing** EU: Wet 4 | Dry 4

**Fastness to crocking** USA: Wet 4 | Dry 4



## Clara 2

kvadrat



**Category B**

**Composition** 92% new wool, 8% nylon

**Weight** 400 g/lin.m

**Abrasion resistance** 80.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | BS 5852, ignition source 2-3 | DIN 4102 B2  
NF D 60 013 | UNI 9175 1IM | US Cal. Tech. Bull. 117, Sec. E  
NFPA 260 | IMO A.652(16)

**Fastness to light** Note 5-7, ISO 105-B02

**Fastness to rubbing** (ISO) dry 4-5, wet 4

**Pilling** Note 4, EN ISO 12945





## Remix 2

kvadrat



**Category B**

**Composition** 90% new wool, 10% nylon

**Weight** 415 g/lin.m

**Abrasion resistance** 100.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | BS 5852 part 1

Önorm B1/Q1 | NF D 60 013 | UNI 9175, 1IM

AS/NZS 1530.3 | Cal. Tech. Bull. 117-2013

NFPA 260 | IMO FTP Code 2010:Part 8

**Fastness to light** Note 5-7, ISO 105-B02


**Fastness to rubbing** (ISO) dry 4-5, wet 4

**Pilling** Note 4, EN ISO 12945



## Hero

kvadrat



**Category C**

**Composition** 96% new wool, 4% nylon

**Weight** 580 g/lin.m

**Abrasion resistance** 45.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | DIN 4102 B2 | NF D 60 013

UNI 9175 1IM | US Cal. Bull. 117-2013 | NFPA 260

IMO A.652 (16)

**Fastness to light** Note 5-6, ISO 105-B02

**Fastness to rubbing** (ISO) dry 4-5, wet 4-5

**Pilling** Note 3-4, EN ISO 12945



## Tonus 4

kvadrat



**Category D**

**Composition** 90% new wool, 10% Helanca

**Weight** 665 g/lin.m

**Abrasion resistance** 100.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | BS 5852 part 1 | DIN 4102 B2

Önorm B1/Q1 | NF D 60 013 | UNI 9175 1IM

US Cal. Bull. 117-2013 | NFPA 260 | IMO A.652 (16)

**Fastness to light** Note 5-7, ISO 105-B02

**Fastness to rubbing** (ISO) dry 3-5, wet 3-5

**Pilling** Note 3, EN ISO 12945



## Memory 2

kvadrat



**Category** E

**Composition** 100% Trevira CS

**Weight** 700 g/lin.m

**Abrasion resistance**

35.000 rubs acc. to the Martindale method, EN ISO 12947

**Flammability** EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1  
NF D 60 013 | NF P 92 507 M1 | UNI 9175 11M  
UNI 9177 classe 1 | US Cal. Tech. Bull. 117  
IMO A.652 (16)

**Fastness to light** Note 5-8, ISO 105-B02

**Fastness to rubbing** (ISO) dry 4-5, wet 4-5

**Pilling** Note 4, EN ISO 12945



## Matrix

kvadrat



**Category** F

**Composition** 100% Trevira CS

**Weight** 760 g/lin.m

**Abrasion resistance**

App. 60.000 rubs acc. to the Martindale method, EN ISO 12947

**Flammability** EN 1021-1/2 | BS 5852 crib 5 | BS 5867 part 2 type B  
DIN 4102 B1 | Önorm B1/Q1 | NF D 60 013  
UNI 9175 11M | US Cal. Tech. Bull. 117 | NFPA 701  
IMO A.652 (16)




**Fastness to light** Note 5-7, ISO 105-B02

**Fastness to rubbing** (ISO) dry 4-5, wet 4-5




**Pilling** Note 4, EN ISO 12945



# Dimensions




# BuzziBlinds Baseplate Regular



# Acoustics

Equivalent sound absorption area in m<sup>2</sup> per object

## BuzziBlind Wedge closed position



Hz	M Aeq/m <sup>2</sup>	L Aeq/m <sup>2</sup>
125	0.30	0.36
250	1.00	1.21
500	1.40	1.71
1000	2.10	2.57
2000	3.10	3.80
4000	3.70	4.54