



## TECHNICAL SPECIFICATION SHEET


**PRODUCT NAME:** Flo Plus Single Head Mount

**PRODUCT CODE:** DYN/SHM/001

Doc Rev 3.

Product Rev #A

12.09.17 CF



### KEY FEATURES

- Compatible with Flo Plus Dynamic Monitor Arm.
- Quick-release monitor mounting.
- Self-balancing tilt adjustment.
- Portrait / landscape rotation and monitor levelling feature.

<b>Product Classification</b>	Monitor Arms
<b>Min to Max load</b>	8.5kg to 18kg
<b>Tilt range</b>	48.5° upwards, 48.5° downwards
<b>VESA compatibility</b>	75mm x 75mm, 100mm x 100mm
<b>Recycled content</b>	30.95%
<b>Total product recyclable</b>	100%

## LOGISTICAL

---

<b>Box contains</b>	Single head mount, VESA plate, VESA screws
<b>Product net weight</b>	0.31kg
<b>Box dims (HxWxD)</b>	120 x 60 x 190 mm
<b>Box gross weight</b>	0.37kg
<b>Carton quantity</b>	36
<b>Master dims (HxWxD)</b>	400 x 385 x 390 mm
<b>Master weight</b>	14.2kg
<b>Country of origin</b>	China
<b>Country of configuration</b>	UK

## ORDERING INFORMATION

---

<b><u>Product Description</u></b>	<b><u>Product code</u></b>	<b><u>Colour</u></b>
Flo Plus Single Head Mount	DYN/SHM/001	:/B Black

## WARRANTY

---

Warranty Term	Limited lifetime warranty
---------------	---------------------------

## COMPLIANCE & SAFETY CERTIFICATION

---

Whilst no mandatory standards apply to the monitor arm product sector, all Colebrook Bosson Saunders monitor arms have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).

<b>Conformance certification</b>	BS EN ISO 9241:5 1999 Ergonomic Requirements for office work with visual display terminals (VDTs). FIRA certificate of conformance pending.
<b>Test authority</b>	CBS
<b>Safety certification</b>	N/A


## ENVIRONMENTAL

Material Make-up			Total Recycled Content	Breakdown of Recycled Content		Total Recyclable	
Overall Product			Overall Product			Overall Product	
Material type	Total Material type weight (g)	Percentage of Total Product Weight (%)	Material-Type Recycled Content (%)	Percentage PIR of total weight (%)	Percentage PCR of total weight (%)	Total Product Recyclable (g)	Total Product Recyclable (%)
Aluminium	94.6	31.7%	29.07%	15.94%	14.14%	94.6	31.7%
Steel	27.5	9.2%	1.20%	0.20%	0.99%	27.5	9.2%
Stainless Steel	3.4	1.1%	0.68%	0.41%	0.27%	3.4	1.1%
Brass	1	0.3%	0.00%	0.00%	0.00%	1.0	0.3%
Plastic	172.3	57.7%	0.00%	0.00%	0.00%	172.3	57.7%
<b>Total</b>	<b>298.8</b>	<b>100.0%</b>	<b>30.95%</b>	<b>16.55%</b>	<b>15.40%</b>	<b>298.8</b>	<b>100.0%</b>


PIR = Post Industrial Recycled

PCR = Post Consumer Recycled

Total Product Weight (%)



Total Product Recycled Content (%)



## CLEANING, STORAGE & MAINTENANCE

### Routine servicing

Periodic inspection

### Service components

Available to order

### Cleaning & Maintenance

Damp cloth, no abrasives, no solvents to be used on the cosmetic surfaces

### Handling & Storage

Do not drop or expose to moisture

While every effort is made to ensure the accuracy of our technical information, Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained in this document and reserve the right to modify the specifications or data contained herein without prior notification.