Wooden Leg Coffee and Cafe Table

dalby



• Coffee, café, dining and bar height tables

Technical

- Solid oak or walnut legs
- Finished with clear matt lacquer
- Stainless steel leg and beam brackets



Compliance

- SCS Indoor Advantage™ Gold Certificate
- naughtone is **FSC®certified** (FSC®C134222)
- naughtone is **FISP** and **ISO14001** certified
- Our tables are designed to meet or exceed all EN performance requirements per BS EN 16139:2013





Dalby 650 Circular Coffee Table mm **Dia** 650 **H** 350 inch **Dia** 25.5 **H** 14

Dalby 650 Square Coffee Table mmW 650 D 650 H 350 inch W 25.5 D 25.5 H 14

Dalby 850 Circular Coffee Table mm Dia 850 H 350 inch **Dia** 33.5 **H** 14







Solid Oak Matt lacquered









White / Black MFMDF






Walnut Veneer



Forbo Lino

White Carrara Marble







DAL850SL Dalby 850 Square Coffee Table mm W 850 D 850 H 350 inch W 33.5 D 33.5 H 14



DAL11X55L Dalby Rectangular Coffee Table mm**W** 1100 **D** 550 **H** 350 inch W 43.5 D 21.5 H 14

DAL350S Dalby 350 Square Side Table

mm**W** 350 **D** 350 **H** 550



DAL350D

Dalby 350 Circular Side Table mm **Dia** 350 **H** 550 inch **Dia** 14 **H** 21.5

DAL650S Dalby 650 Square Cafe Table

mm**W** 650 **D** 650 **H** 750 inch **W** 25.5 **D** 25.5 **H** 29.5





Dalby 850 Circular Cafe Table mm **Dia** 850 **H**750 inch **Dia** 33.5 **H**29.5



Dalby 850 Square Cafe Table mm W 850 D 850 H 750 inch W 33.5 D 33.5 H 29.5



dalby

Wooden Leg Table

Design

- Practical and robust table range
- Coffee, café and bar height tables

Technical

- Solid oak or walnut legs
- Finished with clear matt lacquer
- Stainless steel leg and beam brackets

Compliance

- SCS Indoor Advantage™ Gold Certificate
- naughtone is **FSC®certified** (FSC®C134222)
- naughtone is **FISP** and **ISO14001** certified
- Our tables are designed to meet or exceed all EN performance requirements per BS EN 16139:2013





Dalby 1200 Circular Table inch Dia 47.5 H 29.5



DAL16X8 Dalby 1600x800 Table mm W 1600 D 800 H 750 inch W 63 D 31.5 H 29.5



DAL22X9 Dalby 2200x900 Table mm W 2200 D 900 H 750 inch W 87 D 35.5 H 29.5



Dalby 1400 Circular Table inch Dia 55 H 29.5



DAL18X8 Dalby 1800x800 Table mm W 1800 D 800 H 750 inch W 71 D 31.5 H 29.5



DAL24X10 Dalby 2400x1000 Table mm W 2400 D 1000 H 750 inch W 94.5 D 39.5 H 29.5



DAL28X12 Dalby 6 Leg Table 2800 mm **W** 2800 **D** 1200 **H** 750 inch **W** 110 **D** 47.5 **H** 29.5



Dalby Bar Height Table 1600 inch W 63 D 31.5 H 39



Dalby Bar Height Table 2200 mm W 2200 D 900 H 1000 inch **W** 87 **D** 35.5 **H** 39



Dalby Bar Height Table 1800 inch W 71 D 31.5 H 39



Dalby 6 Leg Bar Height Table 2800 mm W 2800 D 1200 H 1000 inch W 110 D 47.5 H 39



Dalby 1600 Circular Table inch Dia 63 H 29.5



DAL20X9 Dalby 2000x900 Table mm W 2000 D 900 H 750 inch W 79 D 35.5 H 29.5



DAL 24 X 12 Dalby 2400x1200 Table mm W 2400 D 1200 H 750 inch **W** 94.5 **D** 47.5 **H** 29.5



DAL32X12 Dalby 6 Leg Table 3200 mm **W** 3200 **D** 1200 **H** 750 inch **W** 126 **D** 47.5 **H** 29.5



Dalby Bar Height Table 2000 mm W 2000 D 900 H 1000 inch W 79 D 35.5 H 39



Dalby 6 Leg Bar Height Table 3200 mm W 3200 D 1200 H 1000 inch W 126 D 47.5 H 39





Solid Oak Matt lacquered



Top Options



White/Black MFMDF





with reverse chamfer edge 8 colours available



Walnut Veneer with reverse chamfe polished MDF edge

Power and Data Options



Oak Veneer

Surface Mounted Power and Data Consult your price list



FLIPOEPBOX Flip Top Power and Data Consultyour price list







1 Dalby Bar Height Table 1800x1800 2 Construct Barstool Dalby Table designed by naughtone



1 Fold Bar Height Table 1600 2 Construct Barstool Construct Stool designed by Lee Walsh



1 Dalby 650 Square Cafe Table 2 Viv Wood Chair 3 Always Chair 4 Hush Low Chair 5 Pollen Table



1 Dalby 650 Square Cafe Table 2 Polly Chair 3 Polly Barstool Dalby Table designed by naughtone



Dalby Table Technical Specifications

Testing

Our tables are designed to meet or exceed all EN performance requirements per **EN 15372:2008**, which includes the following tests:

- Edges of top rounded or chamfered, no burrs or sharp edges
- Shall not be possible for load bearing parts to come loose unintentionally
- Shear and squeeze points during use
- Stability under vertical force Main surface
- Horizontal static load High
- Vertical static load
- Horizontal fatigue
- Vertical impact for tables without glass

Structural Testing Certifications

DAL850DL

Dalby 850 circular coffee table **BS EN 15372:2008, Level 2** Static load 120kg

Servicing



If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

Warranty



naughtone offers a **5 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at naughtone.com/warranty

Dalby Coffee Table Technical Specifications




























Product Code and Description All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch	A Overall Width	B Overall Depth	C Overall Height	D Weight
DAL650DL Dalby 650 Circular Coffee Table	650 mm	650 mm	350 mm	13.7 kg
	25.5 in	25.5 in	14 in	30.2 lbs
2 DAL650SL Dalby 650 Square Coffee Table	650 mm 25.5 in	650 mm 25.5 in	350 mm 14 in	13.7 kg 30.2 lbs
DAL850DL Dalby 850 Circular Coffee Table	850 mm	850 mm	350 mm	19.3 kg
	33.5 in	33.5 in	14 in	42.5 lbs
DAL850SL Dalby 850 Square Coffee Table	850 mm	850 mm	350 mm	19.3 kg
	33.5 in	33.5 in	14 in	42.5 lbs
DAL11X55 Dalby Rectangular Coffee Table	1100 mm	550 mm	350 mm	20.5 kg
	43.5 in	21.5 in	14 in	40.2 lb
6 DAL350D	350 mm	350 mm	550 mm	6.4 kg
Dalby Side Table	14 in	14 in	21.5 in	14.1 lbs
7 DAL350S	350 mm	350 mm	550 mm	6.4 kg
Dalby Square Side Table	14 in	14 in	21.5 in	14.1 lbs



Dalby Cafe Table Technical Specifications







and All dir	duct Code Description nensions quoted are rounded to arest 5mm or nearest 1/2 inch	A Overall Width	B Overall Depth	C Overall Height	D From Floor to Beam	E Distance between Legs (front)	F Distance between Legs (side)	G Weight
8	DAL650S Dalby Square Cafe Table	650mm 25.5in	650mm 25.5in	750mm 29.5in	660mm 26in	455mm 18in	455mm 18in	20.9kg 46.1lbs
9	DAL650D Dalby Circular Cafe Table	650mm 25.5in	650mm 25.5in	750mm 29.5in	660mm 26in	525mm 21in	525mm 21in	27.7kg 61lbs
10	DAL850S Dalby Square Cafe Table	850mm 33.5in	850mm 33.5in	750mm 29.5in	660mm 26in	655mm 26in	655mm 26in	28.4kg 62.6lbs

Measuring Guide




Dalby Standard Circular Table Technical Specifications








Product Code and Description All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch	A Overall Width	B Overall Depth	C Overall Height	D From Floor to Beam	F Distance between Legs	G Weight
11 DAL12DIA	1200mm	1200mm	750mm	645mm	650mm	43.6kg
Dalby 1200 Circular Table	47.5in	47.5in	29.5in	25.4in	25.5in	96.1lbs
12 DAL14DIA	1400mm	1400mm	750mm	645mm	850m	50.4kg
Dalby 1200 Circular Table	55in	55in	29.5in	25.4in	33.5in	111.1lbs
DAL16DIA Dalby 1200 Circular Table	1600mm	1600mm	750mm	645mm	1050mm	61.2kg
	63in	63in	29.5in	25.5in	41.5in	134.9lbs





Dalby Standard Rectangular Table Technical Specifications


























Product Code and Description All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch	A Overall Width	B Overall Depth	C Overall Height	D From Floor to Beam	E Distance between Legs (front)	F Distance between Legs (side)	G Weight
14 DAL16X8 Dalby 1600 x 800 Table	1600mm	800mm	750mm	645mm	1360mm	560mm	46.2kg
	63in	31.5in	29.5in	25.4in	53.5in	22in	101.9lbs
15 DAL18X8 Dalby 1800 x 800 Table	1800mm	800mm	750mm	645mm	1560mm	560mm	48.5kg
	71in	31.5in	29.5in	25.4in	61.5in	22in	106.9lbs
16 DAL20X9 Dalby 2000 x 900 Table	2000mm	900mm	750mm	645mm	1760mm	660mm	58.3kg
	79in	35.5in	29.5in	25.4in	69.5in	25.6in	128.5lbs
17 DAL22X9 Dalby 2200 x 900 Table	2200mm	900mm	750mm	645mm	1960mm	660mm	61.6kg
	87in	35.5in	29.5in	25.4in	77in	25.6in	135.8lbs
18 DAL24X10	2400mm	1000mm	750mm	645mm	2160mm	760mm	63.5kg
Dalby 2400 x 1000 Table	95in	39in	29.5in	25.4in	85in	30in	140lbs
19 DAL24X12	2400mm	1200mm	750mm	645mm	2360mm	960mm	80.5kg
Dalby 2400 x 1200 Table	95in	47.5in	29.5in	25.4in	93in	38in	177.6lb
Dalby 6 Leg Table 2800	2800mm	1200mm	750mm	645mm	2760mm	1360mm	107.2kg
	110in	47.5in	29.5in	25.4in	109in	53.5in	236.4lb
DAL32X12	3200mm	1200mm	750mm	645mm	3160mm	1760mm	112.2kg
Dalby 6 Leg Table 3200	126in	47.5in	29.5in	25.4in	125.5in	69.5in	247.5lb





Dalby Bar Height Table Technical Specifications
























9	
	U
U	

Product code and description	A Overall Width	B Overall Depth	C Overall Height	D From Floor to Beam	E Distance between legs (front)	F Distance between legs (side)	G Weight
DAL16BH Dalby Bar Height Table 1600	1600mm	800mm	1000mm	645mm	1360mm	560mm	63.2kg
	63in	31.5in	39in	25.4in	53.5in	22in	139.2lbs
DAL18BH Dalby Bar Height Table 1800	1800mm	800mm	1000mm	645mm	1560mm	560mm	44.9kg
	71in	31.5in	39in	25.4in	61.5in	22in	98.9lbs
DAL20BH Dalby Bar Height Table 2000	2000mm	900mm	1000mm	645mm	1760mm	660mm	52.4kg
	79in	35.5in	39in	25.4in	69.5in	25.6in	115.5lbs
DAL22BH Dalby Bar Height Table 2200	2200mm	900mm	1000mm	645mm	1960mm	660mm	65.3kg
	87in	35.5in	39in	25.4in	77in	25.6in	144.0lbs
DAL28BH Dalby 6 Leg Bar Height Table 2800	2800mm	1200mm	1000mm	645mm	2760mm	1360mm	104.1kg
	110in	47.5in	39in	25.4in	109in	53.5in	229.5lbs
DAL32BH Dalby 6 Leg Bar Height Table 3200	3200mm	1200mm	1000mm	645mm	3160mm	1760mm	120.2kg
	126in	47.5in	39in	25.4in	125.5in	69.5in	264.9lbs



Dalby Table Environmental Product Summary



Environment Attributes

- naughtone is FISP and ISO14001 certified
- naughtone is FSC® certified
- 39.85kg total weight
- 14.3% Recyclable (top plates and fixings)
- 85.7% Reusable (top, legs and brackets)
- 26.83% Recycled Content (brackets, fixings and beams)
- Packaging: 94.6% recycled cardboard 5.4% virgin fibre and protective biodegradable bubble wrap
- Indoor Advantage™ Gold ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)

These attributes can help you to achieve criteria towards LEED, BREEAM, Ska and WELL building certifications













Dalby Table Environmental Product Summary



Post Consumer Recycled Content



Product Specific Design Statement

The Dalby table is available in a range of shapes, sizes and finishes but for the purpose of this document we have a specific example from the range:

Dalby table 1600x800 with white MFMDF top

Dalby table legs are CNC cut from solid oak and hand finished before being matt lacquered.

The beams are oak veneered and matt lacquered to match. The table frame is component based and is delivered fully disassembled for efficient delivery and installation. The top is CNC cut and the MDF edge is then matt lacquered.

CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud be able to offer FSC®certified upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.





Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone A chain of custody requested after an order has been placed or delivered may be difficult to recover

Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages

This document will be reviewed and updated periodically and is subject to change without notice



1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colours allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.



Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

naughtone

Useful Beautiful Furniture British Designed Since 2005







UKShowroom

6 Bakers Yard Clerkenwell London EC1R3DD T:+44(0)2038922788

US Showroom

Suite 10–110 222 Merchandise Mart Plaza Floor 10 Chicago IL 60654

naughtone HQ

Knaresborough Tech Park Manse Lane Knaresborough HG58LF

T:+44(0)1423816500 E:sales@naughtone.com

www.naughtone.com