





D

**LIMIT**



by  Planning  
Siplamo

Limit

5

Features	6-11	Wall	24-31	Technical data	40-43
Bases	12-23	Accessories	32-39	Reference code.	44-45

Terminal

47

Features	48-53	Wall	58-61	Accessories	66-71	Reference code.	76-77
Bases	54-57	Plafon	62-65	Technical data	72-75		

Standard

79

Features	80-85	Technical data	96-97
Solutions	86-93	Reference code.	98-99

Safety

101

Features	102-109	Technical data	119-121
Solutions	110-118	Reference code.	122-123

---

Basic

125

Features	126-134	Accessories	144-147	Reference code.	150-151
Solutions	134-143	Technical data	148-149		

---

Classic

153

Features	154-159	Wall	170-171	Accessories	176-183	Reference code.	188-189
Bases	160-169	Banner	172-175	Technical data	184-187		

---

Line

191

Features	192-193	Wall	201	Technical data	206-207
Solutions	194-200	Accessories	202-205	Reference code.	28-209

---

Credits

210





# Dlimit



SPECIALISTS IN SAFER PUBLIC ENVIRONMENTS



# The most ecological barrier solution

The steel is 100% recyclable and is the basic element of this collection.  
The rest of the material is recycled or recyclable plastic.



All tubes in the Dlimit™ collection are made of steel. All are 100% recyclable.



Our polypropylene is made from 70% recycled materials and is 100% recyclable.



Other polymers that we use, for example Polyamide, is fully recyclable; while SBR is both 100% recycled and 100% recyclable



All our packaging uses 90% of recycled cardboard and is, of course, 100% recyclable.



Our products comply with the DDA regulations so that they are equally efficient for people with reduced mobility.



All the inks and dyes used in our sublimation process are water-based and eco- friendly.



This stamp is used with clothing or products of mixed composition. It certifies that a part of the fabric is made from recycled materials.




All the products and raw materials used in Dlimit are produced in Europe. This generates local economic activity and reduces our carbon footprint.





# The strongest barrier solution

All the tubing in the Dlimit™ collection are Ø70mm steel with a 1.5mm wall. This increases their impact resistance.



The Dlimit™ collection is made 99% with recyclable steel, powder coated to protect it and extend its working life. With three different tube models and six compatible bases, the Dlimit™ collection is the most versatile in our catalogue.

(\*) All RAL colours available.

# The safest barrier solution

We make the safest retractable barrier on the market.



One-way™ brake system (Patent pending). It controls the collection of the tape without generating any resistance during extension.



Steel one-directional spring, developed for collecting seat belts in cars, tested up to 200,000 collection cycles. (ISO 9001)



The terminal tape has a security button to prevent the tape to retract accidentally. (Optional)




The Dlimit™ collection offers six different bases covering a wide range of needs. In all cases, the bases offer the correct weight and stability for each need.



The wall of the tube is 1.5mm-thick making our post unbeatable and being highly resistant to impact.

# The most profitable barrier solution

Our models with 5m tape save both space and money.



# The most modern barrier solution

Dlimit™ is the new pedestrians' guidance system. It stands out for its ecologic credentials, simplicity and the functionality of its exclusive design.

## Security comes first

We make the most secure retractable barrier on the market. Our cassettes have a One-Way™ brake system (Patent pending), the most exclusive in the market. The tape retracts 2.5 seconds slower than that of our nearest competitor making Dstandard™ the safest solution for your clients.



## Design & innovation

Dlimit™ is the leading barrier in the market due to its durability and safety. We design our products to be versatile as we know they will be used in diverse applications, all over the world. We offer key functions to all businesses, efficiency, profitability and safety.

## CE Mark


Access to the European market. The CE mark guarantees common standards of safety, durability, energy efficiency and environmental protection standards throughout Europe. Our products are designed, developed and made in the EU.





# Three options and all versatility


The Dlimit™ collection offers three post types, compatible with all the bases in the collection.



NORMAL Post

Esc. 1:20 (Weight: 2kg)

Ref: D/LI/**P**/\*(color)



DUAL Post

Esc. 1:20 (Weight: 2Kg)

D/LI/**PDUA**



MINI Post

Esc. 1:20 (Weight: 1kg)

D/LI/**PMI**

Two heights,  
three options

The NORMAL post is 94cm high and has a retractable tape.


The DUAL post is 94cm high and has two retractable tapes.

The MINI post is 44cm high and has a retractable tape.

In all the posts you can choose tape length of either 3m or 3.7m.

## Four options for the tape terminal

Choose the terminal that best meets your needs.



### We adapt to your needs

The Dlimit™ posts offer four distinct tape closures or terminals.

1. Rapid closing. The simplest option, put and take, this is the default option for all our posts.
2. Safety closing. It incorporates a button that must be pressed to allow the opening of the terminal.
3. Magnetic closing. Incorporates magnets to attach the tape to magnetic surfaces.
4. Antipanic closing. The tape is released only if it receives sufficient tension.






# LIMIT Base

Our classic base.

This extra thin base is our most emblematic option.

It is made of steel. It has a diameter of Ø36 cm, 1.5 cm thickness and a weight of 6 kg. It has rubber studs to protect the floor.


Offered in stainless steel or powder coated.



LIMIT Post

Esc. 1:20 (Weight: 11kg)


Ref: D/LI/**P**/\*(color)



LIMIT DUAL Post

Esc. 1:20 (Weight: 11Kg)

D/LI/**P**DUA



LIMIT MINI Post

Esc. 1:20 (Weight: 7kg)

D/LI/**P**MI



# ECO Base


A new economic and ecological base.

This base is extra thin and is our most ecological and economic model.

Made from recycled PP, diameter Ø36 cm, 1.5 cm thick, weight 4.5kg.

Fitted with rubber studs to protect the floor.


Only offered in black.



ECO Post

Esc. 1:20 (Weight: 8kg)


Ref: D/LI/**PE**/\*(color)



ECO DUALPost

Esc. 1:20 (Weight: 8Kg)

D/LI/**PDUA**



ECO MINI Post

Esc. 1:20 (Weight: 4kg)

D/LI/**PMI**







# Base MAG

Our magnetic base.


It is made of steel with recycled PP core.

Diameter Ø 14cm, 2cm thickness and a weight of 1 kg.

Three neodymium magnets are embedded into its bottom surface offering a force of approximately 150kg.

The base includes a ferrous disc with a adhesive film to protect the floor.


Offered in stainless steel or powder coated finish.



**MAG Post**

Esc. 1:20 (Weight: 4kg)


Ref: D/LI/**PM**/\*(color)



**MAG DUAL Post**

Esc. 1:20 (Weight: 4Kg)

D/LI/**PDUA**



**MAG MINI Post**

Esc. 1:20 (Weight: 3kg)

D/LI/**PMI**



# MAX Base


Our stackable base.

It stands out for its ability to stack on top of each other.

Made from cast iron, it has a base of 45x35cm, 4cm thickness and a weight of 8kg.

It has rubber studs to protect the floor.


The only option available is in black powder coated finish.



**MAX Post**

Esc. 1:20 (Weight: 11kg)


Ref: D/LI/**PX**/\*(color)



**MAX DUAL Post**

Esc. 1:20 (Weight: 11Kg)

D/LI/**PDUA**



**MAX MINI Post**

Esc. 1:20 (Weight: 7kg)

D/LI/**PMI**




# FIX Base

Base for fixed installations.

This is a fixed mounted base, screwed directly into the floor.

Made from recycled PP, base diameter Ø13.5cm, 2 cm thickness, 1kg weight.


The upper surface is a cover hiding the fixing screws. The cover is recycled PP, pressure fitted and does not require adhesives. The only colour available is black



**FIX Post**

Esc. 1:20 (Weight: 4kg)


Ref: D/LI/**PF**/\*(color)



**FIX DUAL Post**

Esc. 1:20 (Weight: 4Kg)

D/LI/**PDUA**




**FIX MINI Post**

Esc. 1:20 (Weight: 3kg)

D/LI/**PMI**





# UNFIX Base

Base for removable installations at fixed points.


This model is both recessed and removable.

It is made of aluminium. It has a diameter of Ø7 cm, 0.5 cm thickness and a weight of 1 kg.

Installed in a hole in the ground and then screwed directly.

Once installed it may be removed and reinserted as many times as required.

A flat aluminum plug is included to cover the hole when the tube is not present.





# BASIC wall

Wall elements for any installation.

The Basic Wall is our best-selling wall element nowadays.

In its two installation options, horizontal and vertical, tape reels are up to 3,7m.

These tapes can be customized.


Very versatile and very discreet painted in black.



**BASIC wall**

Esc. 1:10 (Weight: 1kg)


Ref: D/LI/**MV/NG**



**Vertical BASIC wall**

Esc. 1:10 (Weight: 1Kg)

D/LI/**MH/NG**






# FIX wall / DUAL wall

## Special wall elements

The FIX wall is our recessed installation wall element. Due to its characteristics, it is suitable for installation on any type of wall.

This wall element has a tape up to 5m.

These tapes can be personalized




FIX wall

Esc. 1:10 (Weight: 1kg)

Ref: D/LI/**MF/NG**

This wall element is characterized by mounting two reels of up to 5 meters.

These tapes can be customized, the same way as the paint colour.



DUAL wall

Esc. 1:10 (Weight: 2Kg)

D/LI/**MD/NG**



# STANDARD wall

Wall elements with long tapes.

The Standard wall is our latest invention. Inconspicuous in appearance, this plastic capsule withstands impact and thousands of cycles of tape stretching.

Available in two models of different sizes and tape lengths.


This wall element stands out for the length of its tapes. These tapes may be personalized.



STANDARD wall 5m

Esc. 1:10 (Weight: 1kg)

Ref: D/LI/**M5/NG**



STANDARD wall 7m

Esc. 1:10 (Weight: 1,5kg)

D/LI/**M7/NG**




# METAL wall

Metal-cover wall elements.

This is our most classic wall element.

A powder-coated metal casing covers the entire mechanism completely, leaving only the tape terminal in view.

This tape can be personalized.



**METAL wall 5m**

Esc. 1:10 (Weight: 1kg)

Ref: D/LI/**MM5/NG**






# TROLLEY

To transport many posts together.

Our TROLLEY is designed as a steel and aluminum frame resting on heavy-duty, industrial grade rubber wheels.

Carries up to 15 round base posts.

Extremely stable and easy to handle.



TROLLEY

Esc. 1:20 (Weight: 40kg)

Ref: D/**CAR**



**bus  
ticket  
sale**




# Notice holder

Two models for all your needs.

## 1. BASIC


The more discreet of the two. You can adjust their position to your needs.



Notice holder  
BASIC A4 V

Esc. 1:20 (Weight: 0,7kg)


Ref: D/LI/**PCB/A4V**



Notice holder  
BASIC A4 H

Esc. 1:20 (Weight: 0,7kg)


D/LI/**PCB/A4H**



Notice holder  
ECO A4 V

Esc. 1:20 (Weight: 0,7kg)

Ref: D/LI/**PCE/A4V**



Notice holder  
ECO A4 H


Esc. 1:20 (Weight: 0,7kg)

D/LI/**PCE/A4H**

## 2. ECHO

The simplest and cheapest option. Place your folder on a die-cut handrail.


This model is available in 2 sizes (A4 / A3) and in two orientations (Portrait / Landscape).



Notice holder  
ECO A3 V

Esc. 1:20 (Weight: 1kg)


D/LI/**PCE/A3V**



Notice holder  
ECO A3 H

Esc. 1:20 (Weight: 1kg)

D/LI/**PCE/A3H**





# Surface finishes

Our posts come in three finishes possibilities: Powder-coated iron, stainless steel and anodized aluminium.

## Powder coated iron

With this industrial technique we can paint the iron tubes in any color from the RAL® chart. The paint adheres to the tube using electromagnetic charge and is then baked. The result is an ultra-resistant ceramic finish paint.




## Stainless Steel

One of the most used materials in industry and in architecture owing to its unbeatable performance. We offer stainless steel with a satin finish. It has a spectacular appearance and better resistance to the passage of time.




## Anodized Aluminium

Thanks to its specific properties, aluminum can be anodized. This top quality finish gives color and texture to the material. It also protects aluminum for a long period of time.









# Promote your brand with us

All our tapes are customisable. Thanks to the sublimation, we achieve extraordinary quality customized options for each client.

## Publicity and marketing

The barriers are a great space for publicity. People stand next to them for some time and so we understand the importance and potential of correct personalisation as part of your marketing.



## Security messages

In the workplace, it exists the needs to communicate information about safety regulations e.g. no entry, danger of falling materials, slippery surfaces, emergency exits, etc. Send us your design or ask us to see our standard products.




## PANTONE® colors

All our designs are produced by using a four-color process printing (CMYK) allowing us to print almost any colour you require from any catalogue or palette. If you need a tape in your company's colour or any other colour imaginable, we can make it for you.




Technical data.


\* finish with the selected color code or finish




LIMIT Post  
Esc. 1:20 (Weight: 11kg)  
Ref: D/LI/**P**/**\***<sub>(color)</sub>




LIMIT DUAL Post  
Esc. 1:20 (Weight: 11Kg)  
D/LI/**PDUA**




LIMIT MINI Post  
Esc. 1:20 (Weight: 7kg)  
D/LI/**PMI**




ECO Post  
Esc. 1:20 (Weight: 8kg)  
Ref: D/LI/**PE**/**\***<sub>(color)</sub>




ECO DUAL Post  
Esc. 1:20 (Weight: 8Kg)  
D/LI/**PDUA**




ECO MINI Post  
Esc. 1:20 (Weight: 4kg)  
D/LI/**PMI**




MAG Post  
Esc. 1:20 (Weight: 4kg)  
Ref: D/LI/**PMG**/**\***<sub>(color)</sub>



MAG DUAL Post  
Esc. 1:20 (Weight: 4Kg)  
D/LI/**PDUA**




MAG MINI Post  
Esc. 1:20 (Weight: 3kg)  
D/LI/**PMI**



MAX Post

Esc. 1:20 (Weight: 11kg)


Ref: D/LI/**PX**/\*<sub>(color)</sub>



MAX DUAL Post

Esc. 1:20 (Weight: 11Kg)


D/LI/**PDUA**



MAX MINI Post

Esc. 1:20 (Weight: 7kg)


D/LI/**PMI**



FIX Post

Esc. 1:20 (Weight: 4kg)


Ref: D/LI/**PF**/\*<sub>(color)</sub>



FIX DUAL Post

Esc. 1:20 (Weight: 4Kg)


D/LI/**PDUA**



FIX MINI Post

Esc. 1:20 (Weight: 3kg)


D/LI/**PMI**



UNFIX Post

Esc. 1:20 (Weight: 4kg)

Ref: D/LI/**PU**/\*<sub>(color)</sub>



UNFIX DUAL Post

Esc. 1:20 (Weight: 4Kg)

D/LI/**PDUA**



UNFIX MINI Post

Esc. 1:20 (Weight: 3kg)

D/LI/**PMI**



# Technical data.


\* finish with the selected color code or finish



## BASIC wall

Esc. 1:10 (Weight: 1kg)

Ref: D/LI/**MV/NG**



## Vertical BASIC wall

Esc. 1:10 (Weight: 1Kg)

D/LI/**MH/NG**



## STANDARD wall 5m

Esc. 1:10 (Weight: 1kg)

Ref: D/LI/**M5/NG**



## STANDARD wall 7m

Esc. 1:10 (Weight: 1,5kg)


D/LI/**M7/NG**



## METAL wall 5m

Esc. 1:10 (Weight: 1kg)


Ref: D/LI/**MM5/NG**



## FIX wall

Esc. 1:10 (Weight: 1kg)


Ref: D/LI/**MF/NG**



## DUAL wall

Esc. 1:10 (Weight: 2Kg)

Ref: D/LI/**MD/NG**




## Notice holder

ECO A4 V

Esc. 1:20 (Weight: 0,7kg)

Ref: D/LI/**PCE/A4V**




## Notice holder

ECO A4 H

Esc. 1:20 (Weight: 0,7kg)

D/LI/**PCE/A4H**




## Notice holder

ECO A3 V

Esc. 1:20 (Weight: 1kg)

D/LI/**PCE/A3V**




## Notice holder


ECO A3 H

Esc. 1:20 (Weight: 1kg)


D/LI/**PCE/A3H**



**TROLLEY**  
Esc. 1:20 (Weight: 40kg)  
Ref: D/**CAR**




**Notice holder  
BASIC A4 V**  
Esc. 1:20 (Weight: 0,7kg)  
D/LI/**PCB/A4V**




**Notice holder  
BASIC A4 H**  
Esc. 1:20 (Weight: 0,7kg)  
D/LI/**PCB/A4H**

## Post colors



## Belt colors



## Post finishes



Reference code

Post

1

Company	Product	Post	Color
<b>D</b> (DLIMIT)	<b>LI</b> (Limit)	<b>P</b> (Normal) <b>PE</b> (Eco) <b>PM</b> (Magnetic) <b>PX</b> (Max) <b>PF</b> (Fix) <b>PU</b> (Unfix)	<b>NG</b> (Black) <b>RJ</b> (Red) <b>AM</b> (Yellow) <b>BL</b> (White) <b>GR</b> (Grey) <b>AZ</b> (Blue) <b>VD</b> (Green) <b>CC</b> (Custom)



D/LI/PU/NG

Wall

1

Company	Product	Wall	Color
<b>D</b> (DLIMIT)	<b>LI</b> (Limit)	<b>MH</b> (Wall horizontal) <b>MV</b> (Wall vertical) <b>MD</b> (Wall dual) <b>MF</b> (Wall fix) <b>M5</b> (Wall 5m) <b>M7</b> (Wall 7m) <b>MM5</b> (Metallic Wall 5m)	<b>NG</b> (Black)




D/LI/M7/NG

Tape

2

Company	Product	Tape	Color
<b>D</b> (DLIMIT)	<b>LI</b> (Limit)	<b>CIN3</b> (base) <b>CIN37</b> (3,7m) <b>CIN5</b> (5m)	<b>NG</b> (Black) <b>RJ</b> (Red) <b>AM</b> (Yellow) <b>BL</b> (White) <b>GR</b> (Grey) <b>AZ</b> (Blue) <b>NJ</b> (Orange) <b>AZM</b> (Navy Blue) <b>VDO</b> (Green) <b>BU</b> (Bordeaux) <b>FL</b> (Fluor) <b>BL-RJ</b> (White/Red) <b>AM-NG</b> (Yellow/Black) <b>CC</b> (Custom)



Acc.

3

## Post options

Company	Product	Post
<b>D</b> (DLIMIT)	<b>LI</b> (Limit)	<b>MI</b> (Mini) <b>DUA</b> (Dual)

## Tape terminal

Company	Tape
<b>D</b> (DLIMIT)	<b>SEG</b> (Security) <b>MAG</b> (Magnetic) <b>AP</b> (Antipanic)

## Tape accessories

Company	Printing	Printed faces
<b>D</b> (DLIMIT)	<b>SUBL</b> (Sublimation) <b>FRA</b> (Stripes) <b>TEX</b> (Text) <b>PAN</b> (Pantone)	<b>1</b> <b>2</b>

## Notice Holder

Company	Notice holder	Format
<b>D</b> (DLIMIT)	<b>PCE</b> (Eco) <b>PCB</b> (Basic)	<b>A4V</b> (Din-A4 vertical) <b>A4H</b> (Din-A4 horizontal) <b>A3V</b> (Din-A3 vertical) <b>A3H</b> (Din-A3 horizontal)

## Acrylic folder

Company	Folder	Format
<b>D</b> (DLIMIT)	<b>CM</b> (Acrylic folder)	<b>A4V</b> (Din-A4 vertical) <b>A4H</b> (Din-A4 horizontal) <b>A3V</b> (Din-A3 vertical) <b>A3H</b> (Din-A3 horizontal)

## Trolley

**D/CAR**

## Mural End

**D/TM**

