SOFT EDGE COLLECTION

Soft Edge Collection

Copenhagen-based design duo Iskos-Berlin have explored innovative moulding techniques to develop the organically formed Soft Edge Collection. Combining strong curves with extreme lightness, they have created a functional design that optimises human-centric comfort, while retaining a minimalist aesthetic. This versatile series includes chairs, lounge chairs, stools, and bar stools with frames in wood or steel with different finishes, while the seat is available in wood, plastic and upholstery in various colours and fabrics. The series' functionality and numerous design options make it ideal for a wide range of corporate, public, and private contexts.












Soft Edge 60, stackable up to 6 pcs.



Rolf Hay, Boris Berlin and Aleksej Iskos



Iskos Berlins drawings of different Soft Edge models







Soft Edge 45





Soft Edge 55 | Dusty green










Soft Edge 100 | Water-based laquered oak







Soft Edge 91 | Remix 173





Soft Edge 60







Soft Edge 60



Soft Edge 72 | Water-based laquered oak







Soft Edge 70 | Water-based laquered oak

Soft Edge Collection Highlights

- · A versatile series of chairs, stools, bar stools and lounge chairs
- · Blending strong curves with extreme lightness to create a minimalistic design
- · The collection offers uncluttered aesthetics, stability, and functionality
- · The majority of the collection is EU Eco-labelled
- · Variety of seat and base colours and finishes
- · Available in a wide variety of fabric and leather options
- · Ideal for using in private, public and contract environments





Soft Edge Collection

Soft Edge Overview

SOFT EDGE CHAIRS | 4 LEG STEEL BASE



Soft Edge 40



Soft Edge 40 Seat uph.



Soft Edge 41 Full uph.



Soft Edge 45

Soft Edge 45

SOFT EDGE CHAIRS | SLED BASE



Soft Edge 50



Soft Edge 50 Sled Seat uph.







Soft Edge 55 Sled



Soft Edge 55 Sled Seat uph.



Soft Edge 52 Sled w. hook link

NEW



Soft Edge 52 Sled Seat uph. w. hook link

hook lin



: 1. S



Soft Edge 53 Sled Full uph. w. hook link



Soft Edge 56 Sled w. hook link



Soft Edge 56 Sled seat uph. w. hook link

SOFT EDGE CHAIRS | 4 LEG WOODEN BASE



Soft Edge 60



Soft Edge 60 Seat uph.



Soft Edge 60 w. linking device



Soft Edge 60 Seat uph. w. linking device

SOFT EDGE STOOLS



Soft Edge 70 Stool



Soft Edge 75 Stool



Soft Edge 72

SOFT EDGE BAR STOOLS | LOW AND HIGH



Soft Edge 80 Bar Stool



Soft Edge 85 Bar Stool



Soft Edge 82 Bar Stool



Soft Edge 90 Bar Stool



Soft Edge 90 Bar Stool Seat uph.



Soft Edge 91 Bar Stool Full uph.

NEW



Soft Edge 95 Bar Stool



Soft Edge 95 Bar Stool Seat uph.

SOFT EDGE LOUNGE CHAIRS



Soft Edge 100 Lounge



Soft Edge 100 Lounge Seat uph.



Soft Edge 101 Lounge Full uph.

Please use link below to download other sales material of the Soft Edge collection, including packshots and lifestyle photos.

DIGITAL LIBRARY

Please use link below for order placement and further information.

HAYB2B.COM





SOFT EDGE 40/41 CHAIR

PRODUCT FACT SHEET





SOFT EDGE 40/41 CHAIR

DESIGN BY ISKOS-BERLIN, 2022

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its wooden seat and back in a variety of finishes and four-legged steel base, the Soft Edge 40/41 Chair offers uncluttered aesthetics, stability, and functionality. Its strength and stackability make it ideal for using in private, public and contract environments – from homes to corporate spaces and cafés. Also available with an upholstered seat and in a fully upholstered version in a wide range of different fabric options.


HIGHLIGHTS

- · Part of a versatile series of chairs, stools, bar stools and lounge chairs.
- · Blending strong curves with extreme lightness to create a minimalistic design.
- ·The collection offers uncluttered aesthetics, stability, and functionality.
- · EU Ecolabelled and FSC™ certified.
- · Variety of seat and base colours and finishes.
- · Available in a wide variety of fabric and leather options.
- ·Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- ·Stackable on trolley up to 20 pcs. without upholstery | 6 pcs. with upholstery.
- · Suitable for a wide variety of private and public environments.
- · Qualified for contract use.


DIMENSIONS



SOFT EDGE 40 CHAIR WIDTH 50 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM



SOFT EDGE 41 CHAIR | FULL UPHOLSTERY WIDTH 50 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM



SOFT EDGE 40 CHAIR | SEAT UPHOLSTERY WIDTH 50 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM

MATERIALS

SEAT & BACK	UPHOLSTERY	BASE	STACKING COVER	GLIDER
Moulded plywood seat and back	10 mm PU foam.	4-legged base in	Polypropylene, soft black.	Plastic. Standard on all variants.
with inner veneer in beech, top		Ø16 mm bent steel		Suitable for all floorings that are not
and bottom veneer in oak.		tube.		too sensitive.

OPTIONS

Trumpet felt gliders for wooden floors
CMHR foam (fire retardant)
Linking Device (please note, the linking device is not premounted to the frame)

CONSTRUCTION

2D moulded plywood seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark.

HANG UP BRACKET

Please see more information on Hang Up Bracket for Soft Edge Chairs in our overview. LINK TO HANG UP BRACKET OVERVIEW

CHAIR TROLLEY

Please see more information on Chair Trolley in our fact sheet.

LINK TO FACT SHEET

COLOUR & FINISH

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	CHROMED STEEL	
SEAT & BACK						
BLACK WATER-BASED LACQUERED OAK		•			•	
SOFT BLACK WATER-BASED LACQUERED OAK		•			•	
HUNTER WATER-BASED LACQUERED OAK		•			•	
DUSTY GREEN WATER-BASED LACQUERED OAK		•			•	
FALL RED WATER-BASED LACQUERED OAK		•		•	•	
SOFT GREY WATER-BASED LACQUERED OAK		•	•		•	
WATER-BASED LACQUERED OAK		•	•	•	•	
SMOKED WATER-BASED LACQUERED OAK		•			•	

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics. LINK TO OVERVIEW

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



FSC™ LABEL MIX 70%

Made from FSC™-certified wood and other controlled materials.



EU ECOLABEL

Applies to unupholstered and upholstered models covered in EU-Ecolabelled fabrics. Does not apply to CMHR foam.



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating. L2 Extreme use - Loading according to Test severity L2.

ANSI BIFMA X5.4-2012

American National Standard For Office
Furnishings - Lounge and Public Seating - Tests.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility.

LINK TO DISASSEMBLY INSTRUCTION MANUAL

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

LINK TO DIGITAL LIBRARY

SOFT EDGE 45 CHAIR

PRODUCT FACT SHEET





SOFT EDGE 45 CHAIR

DESIGN BY ISKOS-BERLIN, 2018

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its plastic (PP) seat and back in a variety of colours and four-legged steel base, the Soft Edge 45 Chair offers both uncluttered aesthetics, stability, and functionality. Its strength and stackability make it ideal for using in private, public and contract environments – from homes to corporate spaces and cafés. Also available with an upholstered seat in a wide range of fabric options.


HIGHLIGHTS

- $\cdot \mbox{\sc Part}$ of a versatile series of chairs, stools, bar stools and lounge chairs.
- ·Blending strong curves with extreme lightness to create a minimalistic design.
- · The collection offers uncluttered aesthetics, stability, and functionality.
- · Variety of seat and base colours and finishes.
- \cdot Available in a wide variety of fabric and leather options.
- · Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- ·Stackable on trolley up to 20 pcs. without upholstery | 6 pcs. with upholstery.
- · Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS



SOFT EDGE 45 CHAIR WIDTH 50 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM



SOFT EDGE 45 CHAIR | SEAT UPHOLSTERY WIDTH 50 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM

MATERIALS

SEAT & BACK	UPHOLSTERY	BASE	STACKING COVER	GLIDER
Injection moulded solid coloured	10 mm PU foam.	4-legged base in	Polypropylene, soft black.	Plastic. Standard on all variants.
polypropylene. Thickness 6mm.		Ø16 mm bent steel		Suitable for all floorings that are not
Matt slightly textured surface.		tube.		too sensitive.
	,	•	,	'

OPTIONS

Trumpet felt gliders for wooden floors
CMHR foam (fire retardant)
Linking Device (please note, the linking device is not premounted to the frame)

CONSTRUCTION

Polypropylene seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark

HANG UP BRACKET

Please see more information on Hang Up Bracket for Soft Edge Chairs in our overview. LINK TO HANG UP BRACKET OVERVIEW

CHAIR TROLLEY

Please see more information on Chair Trolley in our fact sheet.

LINK TO FACT SHEET

COLOUR & FINISH

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	WHITE POWDER COATED STEEL	CHROMED STEEL	
SEAT & BACK							
BLACK POLYPROPYLENE		•				•	
SOFT GREY POLYPROPYLENE		•	•			•	
FALL RED POLYPROPYLENE		•		•		•	
DUSTY GREEN POLYPROPYLENE		•				•	
WHITE POLYPROPYLENE					•	•	
HUNTER POLYPROPYLENE		•				•	

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics. LINK TO OVERVIEW

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating. L2 Extreme use - Loading according to Test severity L2.

WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

LINK TO DIGITAL LIBRARY

SOFT EDGE 50/51 CHAIR

PRODUCT FACT SHEET





SOFT EDGE 50/51 CHAIR


DESIGN BY ISKOS-BERLIN, 2020

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its wooden seat and back in a variety of finishes combined with a steel-sled base, the Soft Edge 50/51 Chair offers uncluttered aesthetics, stability, and functionality. Its strength and stackability make it ideal for using in private, public, and contract environments – from homes to corporate spaces and cafés. Also available with an upholstered seat and in a fully upholstered version in a wide range of different fabric options.


HIGHLIGHTS

- · Part of a family of dining chairs, bar stools, lounge chairs and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- ·Offers an ergonomic seating solution due to its increased level of back support.
- · 3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- · EU Ecolabelled and FSC™ certified.
- · Variety of seat and base colours and finishes.
- · Available in a wide variety of fabric and leather options.
- · Available with linking gliders.
- · Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- ·Stackable on trolley up to 15 pcs. without upholstery | 6 pcs. with upholstery.
- · Suitable for a wide variety of private and public environments.
- · Qualified for contract use.


DIMENSIONS



SOFT EDGE 50 CHAIR WIDTH 50,5 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM



SOFT EDGE 51 CHAIR | UPHOLSTERY WIDTH 50,5 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM



SOFT EDGE 50 CHAIR | SEAT UPHOLSTERY
WIDTH 50,5 CM
DEPTH 52,5 CM
HEIGHT 79 CM
SEAT HEIGHT 47,5 CM
SEAT DEPTH 44 CM

MATERIALS

SEAT & BACK	UPHOLSTERY	BASE	STACKING COVER	GLIDER
Moulded plywood seat and back	10 mm PU foam.	4-legged base in	Polypropylene, soft black.	Plastic. Standard on all variants.
with inner veneer in beech, top		Ø16 mm bent steel		Suitable for all floorings that are not
and bottom veneer in oak.		tube.		too sensitive.

OPTIONS

Felt gliders for wooden floors
Linking gliders
CMHR foam (fire retardant)
Linking Device (please note, the linking device is not premounted to the frame)

CONSTRUCTION

2D moulded plywood seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark.

HANG UP BRACKET

Please see more information on Hang Up Bracket for Soft Edge Chairs in our overview. LINK TO HANG UP BRACKET OVERVIEW

CHAIR TROLLEY

Please see more information on Chair Trolley in our fact sheet.

LINK TO FACT SHEET

COLOUR & FINISH

Please note that the colour codes are indicative.

SOFT EDGE 50

SOFT EDGE 50	BASE	BLACK POWDER COATED STEEL	CHROMED STEEL
SEAT & BACK			
BLACK WATER-BASED LACQUERED OAK		•	•
SOFT BLACK WATER-BASED LACQUERED OAK		•	•
HUNTER WATER-BASED LACQUERED OAK		•	•
DUSTY GREEN WATER-BASED LACQUERED OAK		•	•
FALL RED WATER-BASED LACQUERED OAK		•	•
SOFT GREY WATER-BASED LACQUERED OAK		•	•
WATER-BASED LACQUERED OAK		•	•
SMOKED WATER-BASED LACQUERED OAK		•	•
SOFT EDGE 51		I	
	BASE	BLACK POWDER COATED STEEL	
SEAT & BACK			
ALL TEXTILES AVAILABLE		•	

FABRIC & LEATHER UPHOLSTERY
Please see our Fabric Overview for approved standard fabrics. LINK TO OVERVIEW

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



FSC™ LABEL MIX 70%

Made from FSC™-certified wood and other controlled materials.



EU ECOLABEL

Applies to unupholstered and upholstered models covered in EU-Ecolabelled fabrics. Does not apply to CMHR foam.



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating. L2 Extreme use - Loading according to Test severity L2.

ANSI BIFMA X5.4-2012

American National Standard For Office
Furnishings – Lounge and Public Seating – Tests.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility.

LINK TO DISASSEMBLY INSTRUCTION MANUAL

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

LINK TO DIGITAL LIBRARY

SOFT EDGE 52/53 CHAIR

PRODUCT FACT SHEET





SOFT EDGE 52/53 CHAIR


DESIGN BY ISKOS-BERLIN, 2022

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its wooden seat and back in a variety of finishes combined with a steel-sled base with integrated hook link, the Soft Edge 52/53 Chair offers uncluttered aesthetics, stability, and functionality. Its strength, stackability, and ability to link multiple chairs together make it ideal for using in private, public, and contract environments – from homes to corporate spaces and cafés. Also available with an upholstered seat and in a fully upholstered version in a wide range of different fabric options.

HIGHLIGHTS

- · Part of a versatile series of chairs, stools, bar stools and lounge chairs.
- · Blending strong curves with extreme lightness to create a minimalistic design.
- ·The collection offers uncluttered aesthetics, stability, and functionality.
- · EU Ecolabelled and FSC™ certified.
- · Variety of seat and base colours and finishes.
- · Available in a wide variety of fabric and leather options.
- · Integrated hook link to link multiple chairs together
- ·Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- ·Stackable on trolley up to 15 pcs. without upholstery | 6 pcs. with upholstery.
- · Suitable for a wide variety of private and public environments.
- · Qualified for contract use.


DIMENSIONS



SOFT EDGE 52 CHAIR WIDTH 52,5 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM



SOFT EDGE 52 CHAIR | SEAT UPHOLSTERY WIDTH 52,5 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM



SOFT EDGE 53 CHAIR | FULL UPHOLSTERY WIDTH 52,5 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM

MATERIALS

SEAT & BACK	UPHOLSTERY	BASE	STACKING COVER	GLIDER
Moulded plywood seat and back	10 mm PU foam.	4-legged base in	Polypropylene, soft black.	Plastic. Standard on all variants.
with inner veneer in beech, top		Ø16 mm bent steel		Suitable for all floorings that are not
and bottom veneer in oak.		tube.		too sensitive.

OPTIONS

Felt gliders for wooden floors. Linking gliders. CMHR foam (fire retardant).

CONSTRUCTION

2D moulded plywood seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark.

ACCESSORIES



HANG UP BRACKET FOR SOFT EDGE

Black plastic. Please note, the hang up bracket is not premounted to the frame. The hang up bracket is not available for upholstered versions.

LINK TO HANG UP BRACKET OVERVIEW

COLOUR & FINISH

Please note that the colour codes are indicative.

SOFT EDGE 52

SOFT EDGE 32	BASE	BLACK POWDER COATED STEEL	CHROMED STEEL			
SEAT & BACK						
BLACK WATER-BASED LACQUERED OAK		•	•			
SOFT BLACK WATER-BASED LACQUERED OAK		•	•			
HUNTER WATER-BASED LACQUERED OAK		•	•			
DUSTY GREEN WATER-BASED LACQUERED OAK		•	•			
FALL RED WATER-BASED LACQUERED OAK		•	•			
SOFT GREY WATER-BASED LACQUERED OAK		•	•			
WATER-BASED LACQUERED OAK		•	•			
SMOKED WATER-BASED LACQUERED OAK		•	•			
SOFT EDGE 53						
	BASE	BLACK POWDER COATED STEEL				
SEAT & BACK						
ALL TEXTILES AVAILABLE		•				

FABRIC & LEATHER UPHOLSTERY
Please see our Fabric Overview for approved standard fabrics.

LINK TO OVERVIEW

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



FSC™ LABEL MIX
Made from FSC™-certified wood
and other controlled materials.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating. L2 Extreme use - Loading according to Test severity L2. ANSI BIFMA X5.4-2012

American National Standard For Office Furnishings – Lounge and Public Seating – Tests.

WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility. LINK TO DISASSEMBLY INSTRUCTION MANUAL

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

SOFT EDGE 55 SLED





SOFT EDGE 55 SLED


DESIGN BY ISKOS-BERLIN, 2020

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its plastic (PP) seat and back in a variety of colours and steel-sled base, the Soft Edge 55 Chair offers both uncluttered aesthetics, stability, and functionality. Its strength and stackability make it ideal for using in private, public, and contract environments – from homes to corporate spaces and cafés. Also available with an upholstered seat in a wide range of fabric options.


HIGHLIGHTS

- · Part of a family of dining chairs, bar stools, lounge chairs and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- ·Offers an ergonomic seating solution due to its increased level of back support.
- · Polypropylene (PP) seat and back available in a wide range of colours, and powder coated or chromed steel base.
- · Available with seat upholstery in selected fabrics and leathers.
- · Available with linking gliders.
- \cdot Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- ·Stackable on trolley up to 20 pcs. without upholstery | 6 pcs. with upholstery.
- · Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS



SOFT EDGE 55 SLED WIDTH 50,5 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM



SOFT EDGE 55 SLED | SEAT UPHOLSTERY WIDTH 50,5 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM

MATERIALS

SEAT & BACK

Injection moulded solid coloured polypropylene. Thickness 6mm. Matt slightly textured surface.

SEAT W. UPHOLSTERY 10 mm PU foam.

BASE Ø16 mm steel tube. GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Felt gliders for wooden floors Linking gliders CMHR foam (fire retardant)

CONSTRUCTION

Polypropylene seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark

ACCESSORIES



LINKING GLIDERS

Black plastic with or without felt. Set of 4. Linking gliders are premounted on linking glider variant and optional on standard sled variants.





SOFT EDGE CHAIR TROLLEY

Black powder coated steel. Rear wheels with brake. Suitable for transportation and storage.

TROLLEY CAPACITY

Soft Edge 55 Sled max. 20 pcs.
Soft Edge 55 Sled w. upholstery Max. 6 pcs.
LINK TO CHAIR TROLLEY PRESENTATION



HANG UP BRACKET FOR SOFT EDGE

Black plastic. Please note, the hang up bracket is not premounted to the frame. The hang up bracket is not available for upholstered versions.

LINK TO HANG UP BRACKET OVERVIEW

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	WHITE POWDER COATED STEEL	CHROMED STEEL	
SEAT & BACK							
BLACK POLYPROPYLENE		•				•	
SOFT GREY POLYPROPYLENE		•	•			•	
FALL RED POLYPROPYLENE		•		•		•	
DUSTY GREEN POLYPROPYLENE		•				•	
WHITE POLYPROPYLENE					•	•	
HUNTER POLYPROPYLENE		•				•	

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics. LINK TO OVERVIEW

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIROMENTAL PROFILE

CERTIFICATES



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety -Requirements for non-domestic seating. L2: Extreme use - Loading according to Test severity L2. ANSI BIFMA X5.4-2012

American National Standard For Office Furnishings - Lounge and Public Seating - Tests.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

SOFT EDGE 56 SLED W. HOOK LINK





SOFT EDGE 56 SLED W. HOOK LINK


DESIGN BY ISKOS-BERLIN, 2022

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its plastic (PP) seat and back combined with a steel-sled base with integrated hook link, the Soft Edge 56 Chair offers uncluttered aesthetics, stability, and functionality. Its strength, stackability, and ability to link multiple chairs together make it ideal for using in private, public, and contract environments – from homes to corporate spaces and cafés. Also available with an upholstered seat in a wide range of fabric options.


HIGHLIGHTS

- Part of a versatile series of chairs, stools, bar stools and lounge chairs.
- · Blending strong curves with extreme lightness to create a minimalistic design.
- ·The collection offers uncluttered aesthetics, stability, and functionality.
- · Variety of seat and base colours and finishes.
- · Available in a wide variety of fabric and leather options.
- ·Integrated hook link to link multiple chairs together.
- \cdot Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- ·Stackable on trolley up to 15 pcs. without upholstery | 6 pcs. with upholstery.
- ·Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS



SOFT EDGE 56 SLED WIDTH 52,5 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM



SOFT EDGE 56 SLED | SEAT UPHOLSTERY WIDTH 52,5 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT DEPTH 44 CM

MATERIALS

SEAT & BACK	UPHOLSTERY	BASE	STACKING COVER	GLIDER
Injection moulded solid coloured	10 mm PU foam.	Sled bade in Ø16 mm	Polypropylene, soft black.	Plastic. Standard on all variants.
polypropylene. Thickness 6mm.		steel tube.		Suitable for all floorings that are not
Matt slightly textured surface.				too sensitive.

OPTIONS

Felt gliders for wooden floors CMHR foam (fire retardant)


CONSTRUCTION

Polypropylene seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark

ACCESSORIES




SOFT EDGE CHAIR TROLLEY

Black powder coated steel. Rear wheels with brake. Suitable for transportation and storage.

TROLLEY CAPACITY

Soft Edge 56 Sled max. 15 pcs. Soft Edge 56 Sled w. upholstery max. 6 pcs. LINK TO CHAIR TROLLEY PRESENTATION




HANG UP BRACKET FOR SOFT EDGE

Black plastic. Please note, the hang up bracket is not premounted to the frame. The hang up bracket is not available for upholstered versions.

LINK TO HANG UP BRACKET OVERVIEW

COLOUR & FINISH

Please note that the colour codes are indicative.



FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics. LINK TO OVERVIEW

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIROMENTAL PROFILE

CERTIFICATES



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating.

L2: Extreme use - Loading according to Test severity L2.

ANSI BIFMA X5.4-2012

American National Standard For Office Furnishings - Lounge and Public Seating

- Tests.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

SOFT EDGE 60 CHAIR





SOFT EDGE 60 CHAIR

DESIGN BY ISKOS-BERLIN, 2016

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its wooden seat, back and base in a variety of finishes, the Soft Edge 60 Chair creates a seamless, unified expression that offers uncluttered aesthetics, stability, and functionality. Its strength, stackability, and ability to link multiple chairs together make it ideal for using in private, public and contract environments – from homes to corporate spaces and cafés. Also available with an upholstered seat in a wide range of fabric options.

HIGHLIGHTS

- · Part of a family of dining chairs, bar stools, stools and lounge chairs with steel base or solid oak legs or polypropylene seat and back with steel base.
- · 3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- · Variety of seat and base colours and finishes.
- \cdot Available with seat upholstery in selected fabrics and leathers.
- · Stackable up to 6 pcs. without upholstery.
- · Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS



WIDTH 51,5 CM DEPTH 52,5 CM HEIGHT 79 CM SEAT HEIGHT 47,5 CM SEAT WIDTH 46 CM

MATERIALS

SEAT AND BACK	SEAT W. UPHOLSTERY	BASE	GLIDER
Moulded plywood seat and back with inner	10 mm PU foam.	Solid oak legs.	Plastic. Standard on all variants. Suitable for
veneer in beech, top and bottom veneer in oak.			all floorings that are not too sensitive.

OPTIONS

Felt gliders for wooden floors CMHR foam (fire retardant)

Linking Device on Soft Edge 60 Chair w. link (please note, the linking device cannot be retrofitted)

CONSTRUCTION

2D moulded plywood seat and back glued to the solid wood frame. The core of the plywood seat and back is made in beech, with the top veneer in oak. The base is solid oak with 4 x felt pads mounted to the frame for protection when stacking.

COUNTRY OF ORIGIN

Latvia


HANG UP BRACKET

Please see more information on Hang Up Bracket for Soft Edge Chairs in our overview. LINK TO HANG UP BRACKET OVERVIEW

CHAIR TROLLEY

Please see more information on Chair Trolley in our fact sheet.

Please note that the colour codes are indicative.



FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics. LINK TO OVERVIEW

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



FSC™ LABEL MIX 70%

Made from FSC™-certified wood and other controlled materials.



EU ECOLABEL

Applies to unupholstered and upholstered models covered in EU-Ecolabelled fabrics. Does not apply to CMHR foam.



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating. L2 Extreme use - Loading according to Test severity L2.

ANSI BIFMA X5.4-2012

American National Standard For Office Furnishings
- Lounge and Public Seating - Tests.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility.

LINK TO DISASSEMBLY INSTRUCTION MANUAL

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

SOFT EDGE 70 STOOL





SOFT EDGE 70 STOOL

DESIGN BY ISKOS-BERLIN, 2016

Iskos-Berlin's Soft Edge series features an organically shaped design, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. Featuring a wooden seat in a variety of finishes and straight steel legs, the Soft Edge 70 Stool is a short variant that shares the same uncluttered aesthetics with a feeling of lightness. Its strength and functionality ensure years of everyday use in a wide range of public and private environments – from corporate spaces and cafés to home environments.

HIGHLIGHTS

- · Part of a family of dining chairs, bar stools and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- · 3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- ·Variety of seat and base colours and finishes.
- · Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS



WIDTH 37,5 CM DEPTH 37,5 CM HEIGHT 47,5 CM SEAT HEIGHT 47,5 CM

MATERIALS

SEAT

Moulded plywood seat and back with inner veneer in beech, top and bottom veneer in oak.

BASE
Ø16 mm steel tube.

CONSTRUCTION

2D moulded plywood seat mounted to the frame with rivets. Inner plywood in beech, top veneer in oak. Ø16 mm steel tube base.

COUNTRY OF ORIGIN

Denmark

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	CHROMED STEEL	
SEAT & BACK						
BLACK WATER-BASED LACQUERED OAK		•			•	
SOFT BLACK WATER-BASED LACQUERED OAK		•			•	
HUNTER WATER-BASED LACQUERED OAK		•			•	
DUSTY GREEN WATER-BASED LACQUERED OAK		•			•	
FALL RED WATER-BASED LACQUERED OAK		•		•	•	
SOFT GREY WATER-BASED LACQUERED OAK		•	•		•	
WATER-BASED LACQUERED OAK		•	•	•	•	
SMOKED WATER-BASED LACQUERED OAK		•			•	

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



FSC™ LABEL MIX 70%

Made from FSC™-certified wood and other controlled materials.



EU ECOLABEL

Applies to unupholstered and upholstered models covered in EU-Ecolabelled fabrics. Does not apply to CMHR foam.



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety -Requirements for non-domestic seating. L2 Extreme use - Loading according to Test severity L2.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility. LINK TO DISASSEMBLY INSTRUCTION MANUAL

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

SOFT EDGE 72 STOOL





SOFT EDGE 72 STOOL

DESIGN BY ISKOS-BERLIN, 2016

Iskos-Berlin's Soft Edge series features an organically shaped design, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. Featuring a wooden seat and legs in a variety of finishes, the Soft Edge 72 Stool is a short variant with the same seamless, unified expression that offers uncluttered aesthetics with a feeling of lightness. Its strength and functionality ensure years of everyday use in a wide range of public and private environments – from corporate spaces and cafés to home environments.

HIGHLIGHTS

- ·Part of a family of dining chairs, bar stools, stools and lounge chairs with steel base or solid oak legs or polypropylene seat and back with steel base.
- · 3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- · Variety of seat and base colours and finishes.
- \cdot Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS



WIDTH 36 CM DEPTH 36 CM HEIGHT 47,5 CM SEAT HEIGHT 47,5 CM

MATERIALS

SEAT	BASE	GLIDER
Moulded plywood seat and back with inner	Solid oak legs.	Plastic. Standard on all variants. Suitable
veneer in beech, top and bottom veneer in oak.		for all floorings that are not too sensitive.

OPTIONS

Felt gliders for wooden floors.


CONSTRUCTION

 ${\tt 2D}$ moulded plywood seat. Inner plywood in beech, top veneer in oak. Solid oak legs.

COUNTRY OF ORIGIN

Latvia

Please note that the colour codes are indicative.



HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



FSC™ LABEL MIX 70%

Made from FSC™-certified wood and other controlled materials.



EU ECOLABEL

Applies to unupholstered and upholstered models covered in EU-Ecolabelled fabrics. Does not apply to CMHR foam.



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating. L2 Extreme use - Loading according to Test severity L2.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility.

LINK TO DISASSEMBLY INSTRUCTION MANUAL

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

SOFT EDGE 75 STOOL





SOFT EDGE 75 STOOL

DESIGN BY ISKOS-BERLIN, 2016

Iskos-Berlin's Soft Edge series features an organically shaped design, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. Featuring a plastic (PP) seat in a variety of colours and straight steel legs, the Soft Edge 75 Stool is a short variant that shares the same uncluttered aesthetics with a feeling of lightness. Its strength and functionality ensure years of everyday use in a wide range of public and private environments – from corporate spaces and cafés to home environments.

HIGHLIGHTS

- · Part of a family of dining chairs, bar stools and stools with steel base or solid oak legs or polypropylene seat and back.
- · Polypropylene (PP) seat and back available in a wide range of colours, and powder coated or chromed steel base.
- •The chair is also available in wood in different colours and finishes (Soft Edge 12, 32 and 72) and with steel frame and wood seat and back (Soft Edge 10, 30 and 70).
- \cdot Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS



WIDTH 37,5 CM DEPTH 37,5 CM HEIGHT 47,5 CM SEAT HEIGHT 47,5 CM

MATERIALS

SEAT BA Injection moulded solid coloured polypropylene.

Seat thickness 6mm. Matt slightly textured surface.

BASE

Ø16 mm steel tube.

OPTIONS

Trumpet felt gliders for wooden floors CMHR foam (fire retardant)

CONSTRUCTION

2D moulded plywood seat mounted to the frame with rivets. Inner plywood in beech, top veneer in oak. Ø16 mm steel tube base.

COUNTRY OF ORIGIN

Denmark

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	WHITE POWDER COATED STEEL	CHROMED STEEL	
SEAT & BACK							
BLACK POLYPROPYLENE		•				•	
SOFT GREY POLYPROPYLENE		•	•			•	
FALL RED POLYPROPYLENE		•		•		•	
DUSTY GREEN POLYPROPYLENE		•				•	
WHITE POLYPROPYLENE					•	•	
HUNTER POLYPROPYLENE		•				•	

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics. LINK TO OVERVIEW

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating.

L2: Extreme use - Loading according to Test severity L2.

WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

SOFT EDGE 80 BAR STOOL





SOFT EDGE 80 BAR STOOL

DESIGN BY ISKOS-BERLIN, 2016

Iskos-Berlin's Soft Edge series features an organically shaped design, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. Featuring a wooden seat in a variety of finishes, the Soft Edge 80 Bar Stool has long steel legs that enhance the minimalistic aesthetics and create a feeling of lightness. Available in two different heights, its strength and functionality ensure years of everyday use in a wide range of public and private environments – from corporate spaces and cafés to home environments.


HIGHLIGHTS

- · Part of a family of dining chairs, bar stools and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- · 3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- ·Variety of seat and base colours and finishes.
- · Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS



SOFT EDGE 80 LOW WIDTH 40 CM DEPTH 40 CM HEIGHT 65 CM SEAT HEIGHT 65 CM



SOFT EDGE 80 HIGH WIDTH 41,5 CM DEPTH 41,5 CM HEIGHT 75 CM SEAT HEIGHT 75 CM

MATERIALS

SFAT

Moulded plywood seat and back with inner veneer in beech, top and bottom veneer in oak.

BASE Ø16 mm steel tube.

OPTIONS

Trumpet felt gliders for wooden floors CMHR foam (fire retardant)

CONSTRUCTION

2D moulded plywood seat mounted to the frame with rivets. Inner plywood in beech, top veneer in oak. Ø16 mm steel tube base.

COUNTRY OF ORIGIN

Denmark

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	CHROMED STEEL	
SEAT						
BLACK WATER-BASED LACQUERED OAK		•			•	
SOFT BLACK WATER-BASED LACQUERED OAK		•			•	
HUNTER WATER-BASED LACQUERED OAK		•			•	
DUSTY GREEN WATER-BASED LACQUERED OAK		•			•	
FALL RED WATER-BASED LACQUERED OAK		•		•	•	
SOFT GREY WATER-BASED LACQUERED OAK		•	•		•	
WATER-BASED LACQUERED OAK		•	•	•	•	
SMOKED WATER-BASED LACQUERED OAK		•			•	

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



FSC™ LABEL MIX 70%

Made from FSC™-certified wood and other controlled materials.



EU ECOLABEL

Applies to unupholstered and upholstered models covered in EU-Ecolabelled fabrics. Does not apply to CMHR foam.



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety -Requirements for non-domestic seating. L2 Extreme use - Loading according to Test severity L2.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility. LINK TO DISASSEMBLY INSTRUCTION MANUAL

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

SOFT EDGE 82 BAR STOOL





SOFT EDGE 82 BAR STOOL

DESIGN BY ISKOS-BERLIN, 2016

Iskos-Berlin's Soft Edge series features an organically shaped design, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. Featuring a wooden seat and legs in a variety of finishes, the Soft Edge 82 Bar Stool creates a seamless, unified expression that offers uncluttered aesthetics, stability, and functionality. Available in two different heights, its strength and functionality ensure years of everyday use in a wide range of public and private environments – from corporate spaces and cafés to home environments.

HIGHLIGHTS

- ·Part of a family of dining chairs, bar stools, stools and lounge chairs with steel base or solid oak legs or polypropylene seat and back with steel base.
- ·3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- · Variety of seat and base colours and finishes.
- ·Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS



SOFT EDGE 82 LOW WIDTH 37,5 CM DEPTH 37,5 CM HEIGHT 65 CM SEAT HEIGHT 65 CM



SOFT EDGE 82 HIGH WIDTH 39 CM DEPTH 39 CM HEIGHT 75 CM SEAT HEIGHT 75 CM

MATERIALS

SEAT	BASE	FOOTREST	GLIDER
Moulded plywood seat and back with inner	Solid oak legs. Footrest in	Stainless steel.	Plastic. Standard on all variants. Suitable
veneer in beech, top and bottom veneer in oak.	stainless steel.		for all floorings that are not too sensitive.

OPTIONS

Felt gliders for wooden floors


CONSTRUCTION

2D moulded plywood seat. Inner plywood in beech, top veneer in oak. Solid oak legs.

COUNTRY OF ORIGIN

Latvia

Please note that the colour codes are indicative.



HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



FSC™ LABEL MIX 70%

Made from FSC™-certified wood and other controlled materials.



EU ECOLABEL

Applies to unupholstered and upholstered models covered in EU-Ecolabelled fabrics. Does not apply to CMHR foam.



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating. L2 Extreme use - Loading according to Test severity L2.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility.

LINK TO DISASSEMBLY INSTRUCTION MANUAL

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

SOFT EDGE 85 BAR STOOL





SOFT EDGE 85 BAR STOOL

DESIGN BY ISKOS-BERLIN, 2016

Iskos-Berlin's Soft Edge series features an organically shaped design, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. Featuring a plastic (PP) seat in a variety of colours, the Soft Edge 85 Bar Stool has long steel legs that enhance the minimalistic aesthetics and create a feeling of lightness. Available in two different heights, its strength and functionality ensure years of everyday use in a wide range of public and private environments – from corporate spaces and cafés to home environments.


HIGHLIGHTS

- ·Part of a family of dining chairs, bar stools and stools with steel base or solid oak legs or polypropylene seat and back.
- · Polypropylene (PP) seat and back available in a wide range of colours, and powder coated or chromed steel base.
- ·The chair is also available in wood in different colours and finishes (Soft Edge 12, 32 and 72) and with steel frame and wood seat and back (Soft Edge 10, 30 and 70).
- \cdot Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS



SOFT EDGE 85 BAR STOOL LOW WIDTH 40 CM DEPTH 40 CM HEIGHT 65 CM SEAT HEIGHT 65 CM



SOFT EDGE 85 BAR STOOL HIGH WIDTH 41,5 CM DEPTH 41,5 CM HEIGHT 75 CM SEAT HEIGHT 75 CM

MATERIALS

SEAT

Injection moulded solid coloured polypropylene.
Seat thickness 6mm. Matt slightly textured surface.

BASE

Ø16 mm steel tube.

OPTIONS

Trumpet felt gliders for wooden floors CMHR foam (fire retardant)

CONSTRUCTION

Polypropylene seat mounted to the frame with rivets.

COUNTRY OF ORIGIN

Denmark

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	WHITE POWDER COATED STEEL	CHROMED STEEL	
SEAT & BACK							
BLACK POLYPROPYLENE		•				•	
SOFT GREY POLYPROPYLENE		•	•			•	
FALL RED POLYPROPYLENE		•		•		•	
DUSTY GREEN POLYPROPYLENE		•				•	
WHITE POLYPROPYLENE					•	•	
HUNTER POLYPROPYLENE		•				•	

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics. LINK TO OVERVIEW

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety

- Requirements for non-domestic seating.

L2 Extreme use - Loading according to Test severity L2.

WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

SOFT EDGE 90/91 BAR STOOL

PRODUCT FACT SHEET





SOFT EDGE 90/91 BAR STOOL


DESIGN BY ISKOS-BERLIN, 2022

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. Featuring a wooden seat and back in a variety of finishes, the Soft Edge 90/91 Bar Stool has long steel legs that enhance the minimalistic aesthetics and create a feeling of lightness, while the low, supportive backrest enhances the bar stool's stability and comfort. Its strength and functionality ensure years of everyday use in a wide range of public and private environments – from corporate spaces and cafés to home environments. Also available with an upholstered seat and in a fully upholstered version in a wide range of different fabric options in two different heights.


HIGHLIGHTS

- · Part of a family of dining chairs, bar stools, lounge chairs and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- ·Offers an ergonomic seating solution due to its increased level of back support.
- · 3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- · EU Ecolabelled and FSC™ certified.
- · Variety of seat and base colours and finishes.
- \cdot Available in a wide variety of fabric and leather options.
- · Available in a low and a high version.
- ·Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- ·Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS




SOFT EDGE 90 LOW WIDTH 53,5 CM DEPTH 54 CM HEIGHT 98 CM SEAT HEIGHT 65 CM SEAT DEPTH 40 CM




SOFT EDGE 90 LOW | SEAT UPHOLSTERY WIDTH 53,5 CM DEPTH 54 CM HEIGHT 98 CM SEAT HEIGHT 65 CM SEAT DEPTH 40 CM




SOFT EDGE 91 LOW | FULL UPHOLSTERY WIDTH 53,5 CM DEPTH 54 CM HEIGHT 98 CM SEAT HEIGHT 65 CM SEAT DEPTH 40 CM



SOFT EDGE 90 HIGH WIDTH 55 CM DEPTH 55,5 CM HEIGHT 108 CM SEAT HEIGHT 75 CM SEAT DEPTH 40 CM



SOFT EDGE 90 HIGH | SEAT UPHOLSTERY WIDTH 55 CM DEPTH 55,5 CM HEIGHT 108 CM SEAT HEIGHT 75 CM SEAT DEPTH 40 CM



SOFT EDGE 91 HIGH | FULL UPHOLSTERY WIDTH 55 CM DEPTH 55,5 CM HEIGHT 108 CM SEAT HEIGHT 75 CM SEAT DEPTH 40 CM

GLIDER

MATERIALS

SEAT & BACK
Moulded plywood seat and back
with inner veneer in beech, top
and bottom veneer in oak.

UPHOLSTERY 10 mm PU foam.

STACKING COVER Polypropylene, soft black. BASE Ø16 mm steel tube.

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Trumpet felt gliders for wooden floors. CMHR foam (fire retardant).

CONSTRUCTION

2D moulded plywood seat and back mounted to the frame with rivets. Inner plywood in beech, top veneer in oak. Base in Ø16 mm steel tube. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark

COLOUR & FINISH

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	CHROMED STEEL	
SEAT & BACK						
BLACK WATER-BASED LACQUERED OAK		•			•	
SOFT BLACK WATER-BASED LACQUERED OAK		•			•	
HUNTER WATER-BASED LACQUERED OAK		•			•	
DUSTY GREEN WATER-BASED LACQUERED OAK		•			•	
FALL RED WATER-BASED LACQUERED OAK		•		•	•	
SOFT GREY WATER-BASED LACQUERED OAK		•	•		•	
WATER-BASED LACQUERED OAK		•	•	•	•	
SMOKED WATER-BASED LACQUERED OAK		•			•	

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

LINK TO OVERVIEW

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



FSC™ LABEL MIX 70%

Made from FSC™-certified wood and other controlled materials.



EU ECOLABEL

Applies to unupholstered and upholstered models covered in EU-Ecolabelled fabrics. Does not apply to CMHR foam.



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating. L2 Extreme use - Loading according to Test severity L2.

ANSI BIFMA X5.1-2017

American National Standard For Office Furnishings - General Purpose Office Chairs - Tests, Type 3.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility. LINK TO DISASSEMBLY INSTRUCTION MANUAL

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

SOFT EDGE 95 BAR STOOL

PRODUCT FACT SHEET





SOFT EDGE 95 BAR STOOL

DESIGN BY ISKOS-BERLIN, 2020

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. Featuring a plastic (PP) seat and back in a variety of colours, the Soft Edge 95 Bar Stool has long steel legs that enhance the minimalistic aesthetics and create a feeling of lightness, while the low, supportive backrest enhances the bar stool's stability and comfort. Its strength and functionality ensure years of everyday use in diverse public and private environments – from the home to corporate spaces, cafés, and institutions. Available in two different heights and with an upholstered seat in a wide range of fabric options.


HIGHLIGHTS

- · Part of a family of dining chairs, bar stools, lounge chairs and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- ·Offers an ergonomic seating solution due to its increased level of back support.
- · Polypropylene (PP) seat and back available in a wide range of colours, and powder coated or chromed steel base.
- · Available with seat upholstery in selected fabrics and leathers.
- · Available in a low and a high version.
- ·Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- · Suitable for a wide variety of private and public environments.
- · Qualified for contract use.


DIMENSIONS




SOFT EDGE 95 LOW WIDTH 53,5 CM DEPTH 54 CM HEIGHT 98 CM SEAT HEIGHT 65 CM SEAT DEPTH 40 CM



SOFT EDGE 95 LOW | SEAT UPHOLSTERY WIDTH 53,5 CM DEPTH 54 CM HEIGHT 98 CM SEAT HEIGHT 65 CM SEAT DEPTH 40 CM



SOFT EDGE 95 HIGH WIDTH 55 CM DEPTH 55,5 CM HEIGHT 108 CM SEAT HEIGHT 75 CM SEAT DEPTH 40 CM



SOFT EDGE 95 HIGH | SEAT UPHOLSTERY WIDTH 55 CM DEPTH 55,5 CM HEIGHT 108 CM SEAT HEIGHT 75 CM SEAT DEPTH 40 CM

MATERIALS

SEAT & BACK Injection moulded solid coloured polypropylene. Thickness 6mm. Matt slightly textured surface. SEAT W. UPHOLSTERY 10 mm PU foam.

BASE Ø16 mm steel tube. GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Trumpet felt gliders for wooden floors CMHR foam (fire retardant)

CONSTRUCTION

Polypropylene seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark

COLOUR & FINISH

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	WHITE POWDER COATED STEEL	CHROMED STEEL	
SEAT & BACK							
BLACK POLYPROPYLENE		•				•	
SOFT GREY POLYPROPYLENE		•	•			•	
FALL RED POLYPROPYLENE		•		•		•	
DUSTY GREEN POLYPROPYLENE		•				•	
WHITE POLYPROPYLENE					•	•	
HUNTER POLYPROPYLENE		•				•	

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics. LINK TO OVERVIEW

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating.

L2: Extreme use - Loading according to Test severity L2.

ANSI BIFMA X5.1-2017

American National Standard For Office Furnishings -General Purpose Office Chairs - Tests, Type

WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

SOFT EDGE 100/101 LOUNGE

PRODUCT FACT SHEET





SOFT EDGE 100/101 LOUNGE


DESIGN BY ISKOS-BERLIN, 2022

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. The Soft Edge 100/101 Lounge Chair features the same distinctive seat contours as the rest of the family, but with a lower, wider design that is more conducive for relaxing or sitting for longer periods of time. Its steel base reinforces its light, uncluttered aesthetics, while its strength, stability, and comfort ensure years of everyday use in a wide range of public and private environments – from cafés, offices, and waiting areas to a home environment. Also available with an upholstered seat and in a fully upholstered version in a wide range of different fabric options.

HIGHLIGHTS


- · Part of a family of dining chairs, bar stools, lounge chairs and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- · Offers an ergonomic seating solution due to its increased level of back support.
- · 3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- · EU Ecolabelled and FSC™ certified.
- · A modest yet striking aesthetic profile.
- · Compact and extremely comfortable.
- · Variety of seat and base colours and finishes.
- · Available in a wide variety of fabric and leather options.
- ·Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- ·Suitable for a wide variety of private and public environments.
- · Qualified for contract use

DIMENSIONS






SOFT EDGE 100 WIDTH 57 CM DEPTH 64 CM HEIGHT 69 CM SEAT HEIGHT 40 CM SEAT DEPTH 48 CM



SOFT EDGE 100 | SEAT UPHOLSTERY WIDTH 57 CM DEPTH 64 CM HEIGHT 69 CM SEAT HEIGHT 40 CM SEAT DEPTH 48 CM



SOFT EDGE 101 | FULL UPHOLSTERY
WIDTH 57 CM
DEPTH 64 CM
HEIGHT 69 CM
SEAT HEIGHT 40 CM
SEAT DEPTH 48 CM

MATERIALS

SEAT & BACK					
Moulded plywood seat and back					
with inner veneer in beech, top					
and bottom veneer in oak.					

SEAT W. UPHOLSTERY
10 mm PU foam

STACKING COVER
Polypropylene, soft black.

BASE Ø16 mm steel tube. GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Trumpet felt gliders for wooden floors. CMHR foam (fire retardant).

CONSTRUCTION

2D moulded plywood seat and back mounted to the frame with rivets. Inner plywood in beech, top veneer in oak. Base in Ø16 mm steel tube. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark

COLOUR & FINISH

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL		
SEAT & BACK						
BLACK WATER-BASED LACQUERED OAK		•				
SOFT BLACK WATER-BASED LACQUERED OAK		•				
HUNTER WATER-BASED LACQUERED OAK		•				
DUSTY GREEN WATER-BASED LACQUERED OAK		•				
FALL RED WATER-BASED LACQUERED OAK		•		•		
SOFT GREY WATER-BASED LACQUERED OAK		•	•			
WATER-BASED LACQUERED OAK		•	•	•		
SMOKED WATER-BASED LACQUERED OAK		•				

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

LINK TO OVERVIEW

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

CERTIFICATES



FSC™ LABEL MIX 70%

Made from FSC™-certified wood and other controlled materials.



EU ECOLABEL

Applies to unupholstered and upholstered models covered in EU-Ecolabelled fabrics. Does not apply to CMHR foam.



INDOOR ADVANTAGE™ GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating. L2 Extreme use - Loading according to Test severity L2.

ANSI BIFMA X5.4-2012

American National Standard For Office
Furnishings – Lounge and Public Seating – Tests.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility. LINK TO DISASSEMBLY INSTRUCTION MANUAL

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.