

AAL 87

PRODUCT FACT SHEET



AAL 87

DESIGN BY HEE WELLING, 2020

The AAL 87 fuses the sleek, elegant aesthetics of the four-legged steel frame with the organic curves of the low-backed shell. Retaining the same compact body, shaped armrests and simple, sculpted design that characterise the rest of the lounge series, this design features a functional base with slim, angled legs that slant slightly outwards for optimal stability. The base is available in chrome and powder-coated finishes, and the shell is offered in a variety of upholstery options, providing a multitude of design combinations that give this series versatility in a wide range of corporate, public and private contexts.

HIGHLIGHTS


- Part of a multi-functional family of dining and conference chairs, office chairs, bar stools, lounge chairs, tables, an ottoman and a sofa.
- Full upholstery in a large selection of fabrics and leathers.
- Variety of textiles and base finishes.
- Other upholstery options are: a soft quilted version with added wadding in a large selection of fabrics and leathers or a soft duo version in selected fabric and leather combinations on front and back.
- Other base options are: moulded plywood legs, solid wood legs and swivel base.
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.



BIOMASS FOAM

100% of the fossil-based raw materials required for manufacturing of this product are replaced by sustainably certified biomass.

DIMENSIONS



WIDTH 76 CM
DEPTH 73 CM
HEIGHT 81 CM
SEAT HEIGHT 36 CM
SEAT DEPTH 55 CM

MATERIALS

SHELL

Injection moulded polypropylene shell with armrest with full upholstery. Shell thickness: 10 mm polypropylene with 10 mm foam.

BASE

4 leg base in Ø22 mm bent steel tube.

GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Felt gliders for wooden floors.

Seat cushion. Removable seat cushion in moulded polyurethane foam. Mounted with velcro upon request.

CMHR foam (fire retardant).

CONSTRUCTION

Base in Ø22 mm bent steel tube. Shell consisting of injection moulded PU foam with armrest with an internal steel structure for rigidity.

COUNTRY OF ORIGIN

Poland

COLOUR & FINISH

Please note that the colours are indicative.



BLACK
POWDER COATED
STEEL



CHROMED
STEEL

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIROMENTAL PROFILE](#)

CERTIFICATES



INDOOR ADVANTAGE™ GOLD

Supports a healthy indoor environment.

Confirms to ANSI/BIFMA standards.



BIOMASS FOAM

100% of the fossil-based raw materials required for manufacturing of this product are replaced by sustainably certified biomass.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety

- Requirements for non-domestic seating.

L2: Extreme use - Loading according to Test severity L2.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO DIGITAL LIBRARY](#)